



WILDFIRES AND LAND MANAGEMENT

Dr Gareth Clay, University of Manchester BogFest17, 23 Sep 2017

Fire is an interdisciplinary issue

- □ Fire as part of the Earth system
 - Coupled with climate and biogeochemistry





Fire behaviour triangle

- Fire is also a socio-ecological system
 - Hard to uncouple people from fire

What are wildfires?

a.k.a wildland fires, bushfires, scrubland fires

 Any unplanned and/or uncontrolled vegetation fire which may require suppression, regardless of cause





What are wildfires?


 "Any uncontrolled vegetation fire which requires a decision, or action, regarding suppression" (Scottish Government, 2013)

 Wild used to refer to wildland location e.g. Great plains, Canada,

 Now tends to refer to out of control behaviour – negative view, threat

Fire regime

- Characteristics of an area's fire history
- WHAT
 - Causes human/natural
 - □ **Type** surface, crown, soil
 - □ Size burnt area
- WHERE
 - Fuel type
 - Spatial location
- \square WHEN
 - □ Fire season which month
 - Frequency of occurrence (number / year)
 - **Return** period (e.g. 1 in 50 year event)



Source: USDA Fire Science Laboratory, Rocky Mountain Research Station

What controls fire regime?

- Climate
 - Principal control
 - Direct control on fire weather
 - Indirectly via fuel (i.e. vegetation)
 - Temporal variation to consider
 - Daily, seasonal, decadal
- Humans
 - Direct via ignition sources
 - Indirect via fuel (management, fire suppression)
 - Management fires for ecological or other reasons
 - Over-suppression, can allow fuel to accumulate → megafires


Fire regime

- Fire size is inversely related to fire frequency
 - Smaller, less damaging fire more common
- Use as a management strategy?
 - □ Over suppression → larger fires more likely = fire paradox
- □ Fire regimes are dynamic and change with climate and land management:
 - "Fire's removal in places that have long known it may be as ecologically damaging as its introduction to places to which it is alien" Pyne (2012)



Global distribution of wildfires

- Most fires in seasonally wet-dry climates: seasonally dry tropical forests, savannas, dry woodlands
- Followed by grassland and scrubland, then temperate and boreal forests




Harrison et al. (2010)

Recent trends: Global

- Are there any clear global trends?
 - It depends on scale and timeframe
- □ Up to 2000, increases seen around the world (MEA, 2005)
 - Recent syntheses suggest this may not be so simple
- Data from USA suggest number of fires has decreased, but area burned (and cost associated with suppression) have increased




Millennium Ecosystem Assessment (2005)



Doerr and Santin (2016)

Global mega-fires

- Recent analysis of 478 extreme wildfires, 2002 -2013
 - 114 economically or socially disastrous
 - Suburban (wildland-urban interface) in western USA and SE Australia



Bowman et al. (2017): Red triangles = disaster, blue circles = not disasters

UK Fire regime

- Seasonal cycles
 - Two seasons
 - April/May
 - July/August
 - Combination of climate, vegetation and human activity
 - Bank Holidays
 - School Holidays
 - Day of the week





Fig. 1. Peak District wildfires, 1976-2006







Fig. 2. Total number of wildfires in the Peak District National Park recorded by (a) month (June 1976 to December 2008) and (b) day of week (June 1976 to December 2008)

Albertson et al. (2010)

- Spatial patterns
 - Towns
 - □ Footpaths, car parks

UK Fire regime

- Between 2009/10 and 2012/13
 - 210,000 vegetation fire incidents recorded by FRS
- Rural-urban interface
- □ Nearly 50% are <5m²</p>
- Large fires are few, but cover large areas
 - Resources
 - Environmental and social impact




English vegetation fires for one year, FY 2011/12. From Gazzard et al. (2016)

Case Study: Spring Fires 2011











Courtesy of Julia McMorrow

Exceptional conditions









Spring 2011 – Swinley Forest

- Mon 2nd May
- High temp, wind, low humidity
- Fire escalated quickly
 - Multiple fire fronts
 - Moved quickly 7 ha in 20 minutes
 - Jumped fire breaks
- 12 day incident led by RBFRS and Forestry Commission
 - 300 + fire fighters from multipleFRS
- One of largest fire incidents since WWII




Courtesy of Rob Gazzard (Forestry Commission)

Impact

Fire Affected Areas

Transport Research Laboratory



Crowthorne village

Broadmoor High Security Hospital

Bracknell

Forest Council

Risk register


- Preparation for civil emergencies
 - Damage to human welfare
 - Damage to environment
 - War or terrorism affecting security of UK
- What other hazards are on the risk register?
 - Pandemic influenza
 - Coastal flooding
 - Terrorist attacks
 - Volcanic eruptions abroad (e.g. Eyjafjallajökull 2010)
- In 2013, 'severe wildfire' was added to the register




Wildfire management

Fuel management

- Amount: biomass
 - Manage with fire, grazing, cutting
- Type: size, especially fine fuels e.g. grass or those with volatile biochemistry e.g. gorse
 - Manage species composition
- Continuity
 - Horizontal: fire breaks
 - Vertical: thin out ladder fuels





Forestry commission practical guide

Forest management plans


assets and infrastructure must be protected from wildfire. This zone requires a high level of fire prevention such as fuel management. To achieve this Zone A can be broken up into smaller zones with appropriate vegetation management regimes

recommended that wildfire fire prevention measures are

considered where Zone C is adjacent to, or could threaten Zone B.

carried out in areas at a high risk of wildfire to protect Zone A. The aim should be to reduce the rate of spread and intensity of a fire. The width of Zone B should be proportionate to the level of risk and the potential impact of radiant heat, smoke and spot fires on Zone A. In low-risk areas of forest it may be as parrow as a fire belt. In higher-risk landscapes, the width will be increased.

as they could damage important ecosystems and habitats such as deep peat, heaths and wetlands.



Landscape scale

species. Carry out annual maintenance before the start of the fire season. Do not burn cleared vegetation in this area - cut, chip and emove. Regularly clear the area of deadwood and remove leaves

Trees and shrubs in this area should be comprised of fire ent species and kept at a low density. Larger areas of forest or woodland should be fragmented to increase resilience and trees thinned or pruned to minimise ladder fuels. Areas of grassy open



S Larger areas of forest or woodland should be fragmented in this
Trees and shrul outer area. Plant fire belts of fire-resistent tree species and manage the undergrowth so that it remains suppressed. Bonfires and here outside of the fire season.

All ladder fuels sho

Assets






Practice Guide

Building wildfire resilience into forest management planning

Forestry commission practical guide

Figure 22 Planning to facilitate an incident response. All such features should be marked on the Wildfire response plan.



Land management guidance

- Consider risk of wildfire, in particular:
 - Is there a history of wildfire in the area?
 - Is there vegetation with high fuel loads adjacent to the restoration site?
- Draw up a wildfire management plan
- Monitor changing fuel load



International examples

- City of Hobart, Tasmania
 - Over 100 urban fuel breaks
 - Periodically assessed and updated
 - Included as part of planning process for new houses
- City of HOBART

- Canada
 - Forest Fire Danger Rating System
 - Fire modelling
 - Prescribed burning





Ressources naturelles Canada




Ignition management

- □ Fire risk warnings
 - Public access, CRoW

- Education programmes
 - School-aged children

- Planning system
 - Rural-urban house building



Targeted Public information

- Areas of high arson ignitions
 - e.g. South Wales (Jollands et al., 2011)
- □ Time of high risk
 - E.g. school holidays
- Press releases



Peak District "Be Fire Aware"





Project Bernie (South Wales)

Flames Aren't Games (Staffordshire Fire and Rescue Service)




Fire risk warnings

- Used to highlight periods of high fire risk
 - Allows for closure of open access land in extreme situations
- Met Office Fire Severity Index

Fire severity index:

No Data

http://www.metoffice.gov.uk/public/weather/fire-severityindex



Very High

Exceptional

Moderate

International examples



- □ Firewise communities
 - Local solutions
 - Engaging homeowners to take individual responsibility
- Invest \$2/capita into action
 - Cash, time, in-kind services etc.
- First UK Firewise community launched in Thursley, Surrey in 2014



Partnership working

- Evolution of community-based cross-sector working over last 30+ years
 - Bottom-up diffusion to national levels
- ☐ Fire groups (e.g. PDNP FOG)
 - Sharing knowledge & collaboration on equipment
 - Varied expertise across the country
 - Northumberland: back burning; PDNP: helicopter suppression
- Many different expectations for land
 - Multiple ecosystem services for multiple groups
 - Can lead to tension and disagreement
 - Wildfire prevention a uniting boundary concept

Partnership working

- National level groups
 - Scottish Wildfire Forum (SWF)
 - England and Wales Wildfire Forum (EWWF)
 - Chief Fire Officers Association Wildfire Group





- Knowledge Exchange
 - FireBeaters
 - FIRES seminars
 - Knowledge for Wildfire (KfWf)





Links & reading

- Knowledge for Wildfire: <u>www.kfwf.org.uk</u>
- □ EWWF:

http://www.northumberland.gov.uk/Fire/Wildfire.a
spx

□ Gazzard et al. (2016) – Open Access

PHILOSOPHICAL TRANSACTIONS B

rstb.royalsocietypublishing.org

Research





Cite this article: Gazzard R, McMorrow J, Aylen J. 2016 Wildfire policy and management in England: an evolving response from Fire and Rescue Services, forestry and cross-sector groups. *Phil. Trans. R. Soc. B* **371**: 20150341. http://dx.doi.org/10.1098/rstb.2015.0341 Wildfire policy and management in England: an evolving response from Fire and Rescue Services, forestry and cross-sector groups

Rob Gazzard¹, Julia McMorrow² and Jonathan Aylen³

¹Forestry Commission England, Forest Services, Bucks Hom Oak, Farnham, Hampshire GU10 4LS, UK ²School of Environment, Education and Development, and ³Manchester Institute of Innovation Research, University of Manchester, Oxford Road, Manchester M13 9PL, UK

(ii) RG, 0000-0002-6350-6039

Severe wildfires are an intermittent problem in England. The paper presents the first analysis of wildfire policy, showing its halting evolution over two decades. First efforts to coordinate wildfire management came from local fire operation

Research questions and challenges

Key research gaps

- Link between fire severity and fire history (i.e. PB and WF)
- Trade-offs between prescribed burns and wildfires (all ecosystem services)
- Some social science in UK fire science, but limited

Opportunities


- □ Lots of data (IRS, National Park Rangers, Forestry Commission etc.) → need to archive and join up
- Combine data on prescribed fire and wildfire
 - Better understand the fire regime
- Practitioner science
 - Gather data to increase number, type and geographic coverage of fires recorded

Research synergies should support 'fire resilient landscape design'

Opportunities to build on partnership working

Fire research at Manchester

- Ecosystem response to fires
 - Carbon dynamics
 - Water quality
 - Heavy metal release
- Spatial mapping of wildfires
 - Understanding their role in the UK
- Knowledge Exchange (<u>www.kfwf.org.uk</u>)
 - Dialogue between academics and organisations such as the Fire and Rescue Service, local and central government, and land managers



Wildfires 2017



- Theme: Wildfire resilience in a UK context
- □ 7 − 8 November
- Royal Bath Hotel in Bournemouth
- https://www.dorsetforyou.gov.uk/uk-wildfireconference





References

- Albertson, K., Aylen, J., Cavan, G., McMorrow, J. (2010) <u>Climate change and future occurrence of moorland wildfires in the Peak District of the UK</u>. Climate Research 45:105-118 [Open Access]
- Bowman, D.M.J.S, Williamson, G.J., Abatzoglou, J.T., Kolden, C.A., Cochrane, M.A., Smith, A.M.S. (2017) <u>Human exposure and sensitivity to globally extreme wildfire events</u> Nature Ecology & Evolution 1: 0058
- Doerr, S.H., & Santin, C. (2016) Global trends in wildfire and its impacts: perceptions versus realities in a changing world Philosophical Transactions of the Royal Society B 371: 20150345
- Forestry Commission (2014) <u>Building wildfire resilience into forest management planning.</u>
 Forestry Commission: Edinburgh.
- Gazzard, R., McMorrow, J., Aylen, J. (2016) Wildfire policy and management in England: an evolving response from Fire and Rescue Services, forestry and cross-sector groups. Philosophical Transactions of the Royal Society B 371: 20150341 [Open Access]
- Harrison, S.R., Marlon, J.R., & Bartlein, P.J. (2010) Fire in the Earth System. In Dodson, J. (ed) Changing Climates, Earth Systems and Society. Netherlands; Springer Science & Business